L Number		Search Text	DB	Time stamp
-	5548		USPAT;	2004/03/10 19:10
1		network\$3	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	1726		USPAT;	2004/03/10 15:28
		network\$3) and @ad<19990930	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	41		USPAT;	2004/03/08 18:08
		network\$3) and @ad<19990930) and (through	US-PGPUB;	
		adj put)	EPO; JPO;	
	5.40	///] 4 4-1 45\ 4 41 4	IBM_TDB	2004/02/00 16 24
-	548		USPAT;	2004/03/09 16:24
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	
		adj put) or throughput)	EPO; JPO;	
	250	///land with balances) and compared and	IBM_TDB USPAT;	2004/03/08 18:09
-	358	((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930) and ((through	1	2004/03/08 18:09
			US-PGPUB; EPO; JPO;	
		adj put) or throughput)) and (packet)	IBM TDB	
_	187	(((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/08 18:10
_	10/	network\$3) and @ad<19990930) and ((through	US-PGPUB;	2004/03/08 18:10
		adj put) or throughput)) and (through	1	
		session	EPO; JPO;	
_	165		USPAT;	2004/03/08 18:11
-	702	network\$3) and @ad<19990930) and ((through		2004/03/06 18:11
		adj put) or throughput)) and (packet)) and	US-PGPUB; EPO; JPO;	
		session) and (respons\$2)	IBM TDB	
_	165	- · · · · · · · · · · · · · · · · · · ·	USPAT;	2004/03/08 18:11
_	163	network\$3) and @ad<19990930) and ((through	US-PGPUB;	2004/03/08 18:11
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
		session) and (respons\$2)) and time	IBM TDB	
_	14		USPAT;	2004/03/08 18:39
	7.4	network\$3) and @ad<19990930) and ((through	US-PGPUB;	2001,05,00 10.39
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
į		session) and (respons\$2)) and time) and	IBM TDB	•
		(load with balanc\$5).ab.	15155	
_	1011		USPAT;	2004/03/08 18:42
		TAKAHASHI-EIJI TAKAHASHI-EIKI	US-PGPUB;	
		TAKAHASHI-EIZI).in.	EPO; JPO;	1
		·	IBM TDB	
-	1125	(YOKOYAMA-KEN YOKOYAMA-KENA-K	USPAT;	2004/03/08 18:43
		YOKOYAMA-KENA-KIMI YOKOYAMA-KENICHI	US-PGPUB;	
		YOKOYAMA-KENJI YOKOYAMA-KENJIRO	EPO; JPO;	
ļ		YOKOYAMA-KENZO YOKOYAMA-KENZOU	IBM_TDB	
ļ		YOKOYAMA-KEN-ICHI).in.	_	
- 1	141	(TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI	USPAT;	2004/03/08 18:47
		TAMURA-NAOHIRO).in.	US-PGPUB;	İ
			EPO; JPO;	
			IBM_TDB	
-	104		USPAT;	2004/03/08 18:48
		TAKAHASHI-EIJI TAKAHASHI-EIKI	US-PGPUB;	
ļ		TAKAHASHI-EIZI).in.) ((YOKOYAMA-KEN	EPO; JPO;	
İ		YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI	IBM_TDB	
		YOKOYAMA-KENICHI YOKOYAMA-KENJI		
		YOKOYAMA-KENJIRO YOKOYAMA-KENZO		
		YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.)		1
1		((TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI		
		TAMURA-NAOHIRO).in.)) and fujitsu.as.		
-	2	((((TAKAHASHI-EIICHI TAKAHASHI-EIICHIRO	USPAT;	2004/03/08 18:50
1		TAKAHASHI-EIJI TAKAHASHI-EIKI	US-PGPUB;	
		TAKAHASHI-EIZI).in.) ((YOKOYAMA-KEN	EPO; JPO;	1
		YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI	IBM_TDB	
		YOKOYAMA-KENICHI YOKOYAMA-KENJI		
		YOKOYAMA-KENJIRO YOKOYAMA-KENZO		
		YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.)		
		((TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI		
		TAMURA-NAOHIRO).in.)) and fujitsu.as.) and		
		(((load with balanc\$5) and server\$1 and		
		network\$3) and @ad<19990930)	1	1

-	1730	(((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)	USPAT; US-PGPUB; EPO; JPO;	2004/03/09 16:24
-	227	((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and	IBM_TDB USPAT; US-PGPUB;	2004/03/09 16:25
_	209	captur\$4	EPO; JPO; IBM_TDB USPAT;	2004/03/09 16:27
	203	network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4	US-PGPUB; EPO; JPO; IBM TDB	2001,03,03 10.27
-	206	((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and service	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:38
-	122	((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with log\$4)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:28
-	85	(((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with	USPAT; US-PGPUB; EPO; JPO;	2004/03/09 16:28
-	82	log\$4)) and (server with log\$4) ((((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with log\$4)) and (server with log\$4)) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:29
-	o	(simulat\$5 or model\$5 or emulat\$5) ((((((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with log\$4)) and (server with log\$4)) and	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:39
-	59	(simulat\$5 or model\$5 or emulat\$5)) and (service adj log) and (server adj log) ((((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with log\$4)) and (server with log\$4)) and	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:39
-	4	(simulat\$5 or model\$5 or emulat\$5)) and (service with log) and (server with log) ((((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with log\$4)) and (server with log\$4)) and	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:39
-	5559	<pre>(simulat\$5 or model\$5 or emulat\$5)) and (service near3 log) and (server near3 log) (load with balanc\$5) and server\$1 and network\$3</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:48
-	4995	((load with balanc\$5) and server\$1 and network\$3) and service	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:39
_	6	(((load with balanc\$5) and server\$1 and network\$3) and service) and ((mean or median) same (session with (length or time	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:30
-	2	or span or duration))) ((((load with balanc\$5) and server\$1 and network\$3) and service) and ((mean or median) same (session with (length or time	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:39
-	17345	or span or duration)))) and @ad<19990930 (simulat\$7 or emulat\$5 or model\$5) and (load) and server\$1 and network\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:38
-	14237	((simulat\$7 or emulat\$5 or model\$5) and (load) and server\$1 and network\$3) and service	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/10 15:30

-	1	((((simulat\$7 or emulat\$5 or model\$5) and	USPAT;	2004/03/10 15:31
		(load) and server\$1 and network\$3) and service) and ((mean or median) same (session	US-PGPUB; EPO; JPO;	
		with (length or time or span or duration))))	IBM TDB	
		and @ad<19990930	_	
-	22	(((simulat\$7 or emulat\$5 or model\$5) and	USPAT;	2004/03/10 15:47
		(load) and server\$1 and network\$3) and service) and ((mean or median) same (session	US-PGPUB; EPO; JPO;	
		with (length or time or span or duration)))	IBM TDB	
-	2814	((simulat\$7 or emulat\$5 or model\$5) same	USPAT;	2004/03/10 16:03
		(load)) and server\$1 and network\$3	US-PGPUB;	
			EPO; JPO; IBM TDB	
-	2262	(((simulat\$7 or emulat\$5 or model\$5) same	USPAT;	2004/03/10 15:39
		(load)) and server\$1 and network\$3) and	US-PGPUB;	
		service	EPO; JPO;	
_	877	((((simulat\$7 or emulat\$5 or model\$5) same	IBM_TDB USPAT;	2004/03/10 15:39
	""	(load)) and server\$1 and network\$3) and	US-PGPUB;	2004/03/10 15:39
		service) and @ad<19990930	EPO; JPO;	
	_	////===================================	IBM_TDB	
-	0	<pre>(((((simulat\$7 or emulat\$5 or model\$5) same (load)) and server\$1 and network\$3) and</pre>	USPAT; US-PGPUB;	2004/03/10 15:48
		service) and @ad<19990930) and ((mean or	EPO; JPO;	
		median) same (session with (length or time	IBM_TDB	
	385	or span or duration)))	HCDAT	2004/02/20 25 25
-	385	<pre>(((((simulat\$7 or emulat\$5 or model\$5) same (load)) and server\$1 and network\$3) and</pre>	USPAT; US-PGPUB;	2004/03/10 16:01
		service) and @ad<19990930) and (load with	EPO; JPO;	
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM_TDB	
_	192	<pre>distribut\$5)) ((((((simulat\$7 or emulat\$5 or model\$5) same</pre>	HCDATT.	2004/02/10 16:02
	192	(load)) and server\$1 and network\$3) and	USPAT; US-PGPUB;	2004/03/10 16:02
		service) and @ad<19990930) and (load with	EPO; JPO;	!
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM_TDB	
-		<pre>distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)</pre>		
-	130	((((((simulat\$7 or emulat\$5 or model\$5)	USPAT;	2004/03/10 16:04
		same (load)) and server\$1 and network\$3) and	US-PGPUB;	
		service) and @ad<19990930) and (load with	EPO; JPO;	
		<pre>(balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5</pre>	IBM_TDB	
		or determin\$5) with service)) and		
		((simulat\$7 or emulat\$5 or model\$5) same		
_	107	(service)) (((((((simulat\$7 or emulat\$5 or model\$5)	HCDATT.	2004/02/10 10 00
	107	same (load)) and server\$1 and network\$3) and	USPAT; US-PGPUB;	2004/03/10 16:06
		service) and @ad<19990930) and (load with	EPO; JPO;	
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM_TDB	
		<pre>distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)) and</pre>		
		((simulat\$7 or emulat\$5 or model\$5) same		
		(service))) and ((simulat\$7 or emulat\$5 or		
_	89	<pre>model\$5) with (service)) (((((((simulat\$7 or emulat\$5 or model\$5)</pre>	HCDAT -	2004/02/10 16 05
	69	same (load)) and server\$1 and network\$3) and	USPAT; US-PGPUB;	2004/03/10 16:07
į l		service) and @ad<19990930) and (load with	EPO; JPO;	
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM_TDB	
		<pre>distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)) and</pre>		
		((simulat\$7 or emulat\$5 or model\$5) same		
		(service))) and ((simulat\$7 or emulat\$5 or		
		model\$5) with (service))) and (packet)		

136 (((((((((((((((((((((((((((((((((((
((simulats) or models) with (service)) and (packet adj (size or count)) - 0 0 347111.an. 0 347111.an. 0 347111.an. 0 (((((((((simulat\$? or emulat\$5 or model\$5)) kmm to the property of th	-	36	same (load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5	US-PGPUB; EPO; JPO;	2004/03/10 19:10
0		-	<pre>(service))) and ((simulat\$7 or emulat\$5 or model\$5) with (service))) and (packet adj</pre>		
0 347111.an. USPAT; 2004/03/10 16:10 USPAT; 2004/03/10 16:12 USPAT; 2004/03/10 16:12 USPAT; USPA	-	0		US-PGPUB; EPO; JPO;	2004/03/10 16:10
Semic Continue C	-	0	347111.an.	USPAT; US-PGPUB; EPO; JPO;	2004/03/10 16:10
- 1340 (load same balanc\$5) and p.in. 8 SHARON-AYAL-I 8 SHARON-AYAL-I - 4 "Abu El Ata" - 6 (pisello.in. or pearlman.in.) and (load and balanc\$5) - 1 ("5495607") .PN 0 ("13and@ada1996") .PN 0 ("13and@ada1996") .PN ((load same balanc\$5) and p.in.) and USPAT 2004/03/10 19:22 - 0 ((load same balanc\$5) and p.in.) and USPAT 2004/03/10 19:22 - 217 ((load same balanc\$5) and p.in.) and Wad - 217 ((load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:22 - 228 ((load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:22 - 227 ((load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:22 - 228 (load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:23 - 228 (load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:23 - 228 (load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:23 - 228 (load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:23 - 228 (load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:23 - 228 (load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:23 - 229 (load same balanc\$5) and p.in.) and WSPAT 2004/03/10 19:23 - 2	-	0	same (load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)) and ((simulat\$7 or emulat\$5 or model\$5) same (service))) and ((simulat\$7 or emulat\$5 or model\$5) with (service))) and ((packet adj	USPAT; US-PGPUB; EPO; JPO;	2004/03/10 16:12
US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; USPAT 2004/03/10 19:22 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:52 2004/03/11 13:49 2004/03	-	1340		US-PGPUB; EPO; JPO;	2004/03/10 19:51
USPAT 2004/03/10 19:22 2004/03/10 19:21 USPAT USPAT 2004/03/10 19:22 2004/03/10 19:23 2004/0	-	8	SHARON-AYAL-I	US-PGPUB; EPO; JPO;	
balanc\$5) balanc\$5) ("5495607").PN. ("13and@ad<1996").PN. ("13and@ad<1996").PN. ((load same balanc\$5) and p.in.) and USPAT 2004/03/10 19:22 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:23 2004/03/10 19:22	-	4	"Abu El Ata"	US-PGPUB; EPO; JPO;	2004/03/10 19:19
Comparison of the comparison	-	6		US-PGPUB; EPO; JPO;	2004/03/10 19:21
Company	-	1	("5495607").PN.	USPAT	2004/03/10 19:22
- 0 ((load same balanc\$5) and p.in.) and USPAT 2004/03/10 19:22 @ad<1996 ((load same balanc\$5) and p.in.) and	-	0		USPAT	
- 217	-	0	@ad<1996	USPAT	2004/03/10 19:22
- 42285 load same balanc\$5 - 42285 load same balanc\$5 - USPAT; US-PGPUB; EPO; JPO; IBM TDB	-	740	@ad<19961230	USPAT	2004/03/10 19:49
US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; U	-	217		USPAT	2004/03/10 19:23
- 0 service adj boker	-	42285	load same balanc\$5	US-PGPUB; EPO; JPO;	2004/03/10 19:52
- 186 service adj broker USPAT; US-PGPUB; EPO; JPO; IBM_TDB - 0 (service adj broker) and (fair with queu\$3) USPAT; US-PGPUB; EPO; JPO; IBM_TDB - 0 (service adj broker) and (fair with queu\$5) USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	-	0	service adj boker	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 13:49
- 0 (service adj broker) and (fair with queu\$3) USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	-	186	service adj broker	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 14:43
US-PGPUB; EPO; JPO;	-	0		USPAT; US-PGPUB; EPO; JPO;	
	-	0	(service adj broker) and (fair with queu\$5)	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 13:49

-	2	(service adj broker) and (shar\$3 with queu\$5)	USPAT; US-PGPUB;	2004/03/11 13:50
			EPO; JPO; IBM_TDB	
-	11	(service adj broker) and (beta or gamma)	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 13:51
-	1	(service adj broker) and (beta and gamma)	IBM_TDB USPAT; US-PGPUB;	2004/03/11 13:51
-	9	(service adj broker) and fair	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/11 14:21
-	59	server adj processing adj time	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/11 14:43
-	8	(service adj broker) and (process\$3 adj time)	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/11 17:39
-	1	5341477.pn. and "70"	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/11 17:40
-	195	(session with service) with (per or ratio)	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/12 15:54
-	561	(session with (frequenc\$3 or interval)) and (session with (length or duration))	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/12 15:55
-	9	((session with service) with (per or ratio)) and ((session with (frequenc\$3 or interval)) and	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/12 15:56
		<pre>(session with (length or duration)))</pre>	IBM_TDB	
-	1	ratio)) and ((session with (frequenc\$3 or interval)) and (session with (length or duration))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/12 15:58
-	768)) and @ad<19961230 (number or quantit\$3) same (transmission or exchange) same (client server) same (session)	USPAT; US-PGPUB; EPO; JPO;	2004/03/12 15:58
-	97	((number or quantit\$3) same (transmission or exchange) same (client server) same (session)) and @ad<19961230	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/12 16:01
-	26	((packet) same size same (client server)) and (packet same count same (client server) same (transmission exchange))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/12 16:00
-	2	(((packet) same size same (client server)) and (packet same count same (client server) same (transmission exchange))) and @ad<19961230	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/12 16:01